

Class 1

Lavage Basin, Vanity, Bath

Product Disclosure Information Self-Assessment

Version: V1

Product name	Lavage Basin, Vanity, Bath
Product line	Lavage Oval Solid Surface Vessel Basin Lavage Round Solid Surface Vessel Basin Lavage Uno Slim 600 2 Door Vanity Lavage 1500 Solid Surface Freestanding Bath Lavage 1800 Solid Surface Freestanding Bath "Lavage Solid Surface Pop Up Waste 32mm No Overflow" Lavage Uno Slim 750 1 Drawer Vanity Lavage Uno Slim 750 2 Drawer Vanity Lavage Uno 1200 1 Drawer Vanity Centre Basin Lavage Uno 1200 Double 2 Drawer Vanity Lavage Uno 1200 2 Drawer Vanity Centre Basin Lavage Uno 1200 Double 4 Drawer Vanity Lavage Uno 1500 2 Drawer Vanity Centre Basin Lavage Uno 1500 Double 2 Drawer Vanity Lavage Uno 1500 Double 2 Drawer Vanity Lavage Uno 1500 Double 4 Drawer Vanity Lavage Uno 750 1 Drawer Vanity Lavage Uno 750 1 Drawer Vanity Lavage Uno 900 1 Drawer Vanity Lavage Uno 900 1 Drawer Vanity Lavage Uno 900 2 Drawer Vanity

Product identifier	LAV0944 LAV3978 LAV60SSL LAV6526 LAV6527 LAV6873.SS LAV75SSL LAV75WSL LAV7120S LAVS120S LAVS120B LAVS120W LAVS150B LAVS150S LAVS150S LAVS150S LAVS150WD LAVS150WD LAVS150WD LAVS150WD LAVS75S LAVS75W LAVS90S LAVS90W
--------------------	---

Product description

Lavage Oval Solid Surface Vessel Basin Lavage Round Solid Surface Vessel Basin Lavage Uno Slim 600 2 Door Vanity Lavage 1500 Solid Surface Freestanding Bath Lavage 1800 Solid Surface Freestanding Bath "Lavage Solid Surface Pop Up Waste 32mm No Overflow" Lavage Uno Slim 750 1 Drawer Vanity Lavage Uno Slim 750 2 Drawer Vanity Lavage Uno 1200 1 Drawer Vanity Centre Basin Lavage Uno 1200 Double 2 Drawer Vanity Lavage Uno 1200 2 Drawer Vanity Centre Basin Lavage Uno 1500 Double 4 Drawer Vanity Lavage Uno 1500 4 Drawer Vanity Centre Basin Lavage Uno 1500 Double 4 Drawer Vanity Lavage Uno 750 1 Drawer Vanity Lavage Uno 750 2 Drawer Vanity Lavage Uno 900 1 Drawer Vanity Lavage Uno 900 2 Drawer Vanity

Relevant building code clauses

B2 Durability — B2.3.1 (c)

F2 Hazardous building materials — F2.3.1

G1 Personal Hygiene — G1.3.2

G12 Water Supplies — G12.3.2

Contributions to compliance

Clauses relating to this product are aimed at the installer, please find installation instructions on the product information page, the product is designed to enable the installer to comply with the building code. The product complies with the B2 (Durability) B2.3.1 (c)

Scope of use

The waste / outlet, & or overflow section of the product must be installed by a suitably qualified plumber or trades person. Must be installed indoors.

Conditions of use

The waste / outlet, & or overflow section of the product must be installed by a suitably qualified plumber or trades person. Must be installed indoors.

Supporting documentation

The following additional documentation supports the above statements:

Title (type)	Version	URL
Install instructions (Installation)	V1	https://chesters.co.nz

Contact details

Manufacture location	Overseas	
Legal and trading name of manufacturer	Plumbline	
Legal and trading name of importer	Plumbline	
Importer address for service	1 Antilles place, Grenada Village Wellington 6037	
Importer website	www.plumbline.co.nz	
Importer NZBN	9429036110377	
Importer email	slaes@plumbline.co.nz	
Importer phone number	045689898	

Warnings and bans

Is the building product/building product line subject to warning or ban under section 26 of the Building Act 2004?

No

Appendix

BPIR Ready selections

Category: Basins, baths and bidets

	Yes	No
Integrated overflow		×
Suitable for accessible facilities		×
Integrated taps/plumbing		×

Building code performance clauses

All relevant building code performance clauses listed in this document:

B2 Durability

B2.3.1

Building elements must, with only normal maintenance, continue to satisfy the performance requirements of this code for the lesser of the specified intended life of the building, if stated, or:

(c) 5 years if:

- i. the *building elements* (including services, linings, renewable protective coatings, and *fixtures*) are easy to access and replace, and
- ii. failure of those building elements to comply with the *building code* would be easily detected during normal use of the *building*.

F2 Hazardous building materials

F2.3.1

The quantities of gas, liquid, radiation or solid particles emitted by materials used in the *construction* of *buildings*, shall not give rise to harmful concentrations at the surface of the material where the material is exposed, or in the atmosphere of any space.

G1 Personal Hygiene

G1.3.2

Sanitary fixtures shall be located, constructed and installed to:

- a. facilitate sanitation,
- b. avoid risk of food contamination,
- c. avoid harbouring dirt or germs,
- d. provide appropriate privacy,
- e. avoid affecting occupants of adjacent spaces from the presence of unpleasant odours, accumulation of offensive matter, or other source of annoyance,
- f. allow effective cleaning,
- g. discharge to a plumbing and drainage system as required by Clause G13 Foul water when water-borne disposal is used,
- h. provide a healthy safe disposal system when non-water-borne disposal is used.

G12 Water Supplies

G12.3.2

A potable water supply system must be—

- a. protected from contamination; and
- b. installed in a manner that avoids the likelihood of contamination within the system and the water main; and
- c. installed using components that will not contaminate the water.